

# trident

# TRIGULL

**CLAY VILAS, U. S. Distributor**

*Write to him at:*

**TRIDENT OF AMERICA**

P.O. BOX 61479


SUNNYVALE, CA 94087

*Or call him at:*


**(408) 739-1951**









**SIX-PLACE AIR TAXI OR CORPORATE SERVICE**  
Four individual seats plus a lift-up rear bench



**AIR AMBULANCE**  
Stretcher fits through nose door  
Pilot and attendant have left side entry door




**AIR CARGO**  
107 ft<sup>3</sup> Cabin (3.03m<sup>3</sup>)



**RAPID CONVERSION  
BETWEEN ROLES**

**Super Versatility**








## Performance

	Trigull L300	Trigull TL350
Maximum Speed at gross weight (kts/kmh) at sea level	148/274	157/291
at 10,000 ft.		172/319
Cruising Speed at gross weight (kts/kmh) 75% BHP — 6,000 ft.	140/259	
— 10,000 ft.		155/287
65% BHP — 10,000 ft.	136/252	146/271
60% BHP — 10,000 ft.	131/243	142/263
45% BHP — 10,000 ft.	107/198	125/232
Stall Speed (CAS) at gross weight (kts/kmh) Full flaps, power off, gear or floats down	50/93	50/93
Clean, power off	56/104	56/104
Maximum Rate of Climb (fpm/mpm) at Sea Level	1070/326	1,265/386
at 10,000 ft.	550/168	1,115/340
Service Ceiling (ft/m)	18,000/5,486	25,000 + /7,620 +

TAKE-OFF AND LANDING DISTANCES (FEET/METERS),  
SEA LEVEL, STANDARD DAY, GROSS WEIGHT



### RANGE/PAYLOAD DATA

- FUEL ALLOWANCE MADE FOR TAKE-OFF, CLIMB, CRUISE, DESCENT, LANDING PLUS 45 MIN. RESERVE
- MAXIMUM USABLE FUEL 591 LB./268 KG (98.5 U.S. GALLONS)/373 LITRES
- PAYLOAD INCLUDES PILOT AND OPTIONS

